

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	150	fail\$4 with execut\$4 with query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 17:48
S2	169	fail\$4 with execut\$4 with query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 17:55
S3	11	(fail\$4 with execut\$4 with query with error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 17:49
S4	19	(fail\$4 with execut\$4 with query) and (((re\$build\$3 or re\$creat\$4) with (query plan model)) or ((generat\$4 or creat\$4) with (new or another) with (query plan model)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 18:19
S5	2459	(((re\$build\$3 or re\$creat\$4) with (query plan model)) or ((generat\$4 or creat\$4) with (new or another) with (query plan model))) and (error with (process\$3 handl\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 18:21
S6	180	(((re\$build\$3 or re\$creat\$4) with (query plan model)) or ((generat\$4 or creat\$4) with (new or another) with (query plan model))) and ((automatic\$6 dynamic\$6) with error with (process\$3 handl\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 18:22

EAST Search History

S7	80	((re\$build\$3 or re\$creat\$4) with (query plan model)) or ((generat\$4 or creat\$4) with (new or another) with (query plan model))) and ((automatic\$6 dynamic\$6) with error with (process\$3 handl\$3)) and ((access query execution) with (plan model))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 10:52
S8	144	((re\$build\$3 or re\$creat\$4) with (query plan model)) or ((generat\$4 or creat\$4) with (new or another) with (query plan model))) and ((automatic\$6 dynamic\$6) with error with (process\$3 handl\$3)) and ((access query execution) with (plan model process))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 18:23
S9	775	(function with check\$3) same quer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 10:54
S10	3	((function with check\$3) same quer\$4) and ((rebuild\$3 re\$creat\$4 regenerat\$4 auto\$tun\$3 fix) with plan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 10:58
S11	51	((function with check\$3)) and ((rebuild\$3 re\$creat\$4 regenerat\$4 auto\$tun\$3 fix) with plan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 10:59
S12	8936	((function adj check\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 11:00
S13	88	((function adj check\$3) same quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 11:00

EAST Search History

S14	40329	"707"/.ccls.((function adj check\$3) same quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 11:00
S15	24	"707"/.ccls. and ((function adj check\$3) same quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 11:07
S16	91	(quer\$3 with optimiz\$6) and (fix\$3 with error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 11:08
S17	41	dynamic with (re\$optimiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 11:09
S18	7	(dynamic with (re\$optimiz\$5)) same (query plan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 11:09
S19	0	("2002/0198867").URPN.	USPAT	OR	OFF	2007/01/04 12:09
S20	139783	"Xquery" ((error fail\$4) with (type data\$type))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:10
S21	61	"Xquery" and ((error fail\$4) with (type data\$type))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:11

EAST Search History

S22	24	"Xquery" and ((error fail\$4) with (type data\$type)) and (plan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:46
S23	0	"Xquery" and ((error fail\$4) with (type data\$type)) and (plan) and ((re\$generat\$4 re\$creat\$4 re\$construct\$4 re\$optimiz\$4 fix\$3 re\$build) with plan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:13
S24	7	"Xquery" and (function adj check)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:47
S25	61	"Xquery" and ((error fail\$4) with (type data\$type))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:47
S26	24	"Xquery" and ((error fail\$4) with (type data\$type)) and (plan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:52
S27	130	((query access execution) with plan) and (plan with error) and (re\$generat\$4 or re\$creat\$4 or re\$construct\$4 or re\$optimiz\$6 or re\$build\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:53
S28	44	((query access execution) with plan) and (plan with error) and ((re\$generat\$4 or re\$creat\$4 or re\$construct\$4 or re\$optimiz\$6 or re\$build\$3) with plan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:58

EAST Search History

S29	64	((query access execution) with plan) and (plan with (error fail\$4)) and ((re\$generat\$4 or re\$creat\$4 or re\$construct\$4 or re\$optimiz\$6 or re\$build\$3) with plan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 13:00
S30	62	((query access execution) with plan) and (plan with (error fail\$4)) and ((re\$generat\$4 or re\$creat\$4 or re\$construct\$4 or re\$optimiz\$6 or re\$build\$3) with plan) and (error (handl\$3 report\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 13:03
S31	25	((query access execution) with plan) and (plan with (error fail\$4)) and ((re\$generat\$4 or re\$creat\$4 or re\$construct\$4 or re\$optimiz\$6 or re\$build\$3) with plan) and (error with (handl\$3 report\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 13:10
S32	8	((query access execution) with plan) and (plan with (error fail\$4)) and ((re\$generat\$4 or re\$creat\$4 or re\$construct\$4 or re\$optimiz\$6 or re\$build\$3) with plan) and (error with (handl\$3 report\$3)) and quer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 13:28
S33	17	("6134580").URPN.	USPAT	OR	OFF	2007/01/04 13:13
S34	14	((query access execution) with plan) and (plan with (error fail\$4)) and ((re\$generat\$4 or re\$creat\$4 or re\$construct\$4 or re\$optimiz\$6 or re\$build\$3 or re\$plan\$4) with plan) and (error with (handl\$3 report\$3)) and quer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 13:29
S35	6	S34 NOT S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 13:30
S36	7	"XQuery" and (function adj check)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 08:33

EAST Search History

S37	84	"XQuery" and ((execut\$4 or process\$3) with (plan query QEP)) and ((error or fail\$4 or halt or stop or quit) with (plan query))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 08:42
S38	47	"XQuery" and ((execut\$4 or process\$3) with (plan query QEP)) and ((error or fail\$4 or halt or stop or quit) with (plan query)) and ((access execution query) with plan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 08:51
S39	35	"XQuery" and ((execut\$4 or process\$3) with (plan query QEP)) and ((error or fail\$4 or halt or stop or quit) with (plan query)) and ((access execution query) with plan) and (error with (run\$time process\$3 execut\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:02
S40	1	("5873075").PN.	USPAT; USOCR	OR	OFF	2007/01/05 09:04
S41	376	((violation error conflict) with (query plan) with (process\$3 execut\$4 run\$time)) and (QEP or plan) and ((query access execution) with (plan))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:06
S42	220	((violation error conflict) with (query plan) with (process\$3 execut\$4 run\$time)) and (QEP or plan) and ((query access execution) with (plan)) and ((fail\$4 or stop\$4 or halt or terminat\$4 or quit) with (run\$5 process\$3 execut\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:08
S43	111	((violation error conflict) with (query plan) with (process\$3 execut\$4 run\$time)) and (QEP or plan) and ((query access execution) with (plan)) and ((fail\$4 or stop\$4 or halt or terminat\$4 or quit) with (run\$5 process\$3 execut\$4)) and (error with (detect\$4 handl\$3 report\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:09

EAST Search History

S44	3	((violation error conflict) with (query plan) with (process\$3 execut\$4 run\$time)) and (QEP or plan) and ((query access execution) with (plan)) and ((fail\$4 or stop\$4 or halt or terminat\$4 or quit) with (run\$5 process\$3 execut\$4)) and (error with (detect\$4 handl\$3 report\$3)) and "Xquery"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:20
S45	118	((violation error conflict) with (query plan) with (process\$3 execut\$4 run\$time)) and (QEP or plan) and ((query access execution) with (plan)) and ((fail\$4 or stop\$4 or halt or terminat\$4 or quit or exit) with (run\$5 process\$3 execut\$4 plan query)) and (error with (detect\$4 handl\$3 report\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:21
S46	44	((violation error conflict) with (query plan) with (process\$3 execut\$4 run\$time)) and (QEP or plan) and ((query access execution) with (plan)) and ((fail\$4 or stop\$4 or halt or terminat\$4 or quit or exit) with (run\$5 process\$3 execut\$4 plan query)) and (error with (detect\$4 handl\$3 report\$3)) and (type with error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:22
S47	44	((violation error conflict) with (query plan) with (process\$3 execut\$4 run\$time)) and (QEP or plan) and ((query access execution) with (plan)) and ((fail\$4 or stop\$4 or halt or terminat\$4 or quit\$4 or exit\$3) with (run\$5 process\$3 execut\$4 plan query)) and (error with (detect\$4 handl\$3 report\$3)) and (type with error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:33
S48	1519	((execut\$4 process\$3 run\$time) with (plan QEP)) same ((exit\$3 abort\$4 terminat\$4 halt\$3 quit\$4 stop\$4) with (process\$3 execut\$4 run\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:36
S49	491	(((execut\$4 process\$3 run\$time) with (plan QEP)) same ((exit\$3 abort\$4 terminat\$4 halt\$3 quit\$4 stop\$4) with (process\$3 execut\$4 run\$4))) and ((query access execution) with (plan))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:37

EAST Search History

S50	89	$((execut\$4 process\$3 run\$time) \text{ with } (plan QEP)) \text{ same } ((exit\$3 abort\$4 terminat\$4 halt\$3 quit\$4 stop\$4) \text{ with } (process\$3 execut\$4 run\$4) \text{ with } (error fail\$4))) \text{ and } ((query access execution) \text{ with } (plan))$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 10:20
S51	3	$((execut\$4 process\$3 run\$time) \text{ with } (plan QEP)) \text{ same } ((exit\$3 abort\$4 terminat\$4 halt\$3 quit\$4 stop\$4) \text{ with } (process\$3 execut\$4 run\$4) \text{ with } (error fail\$4))) \text{ and } ((query access execution) \text{ with } (plan)) \text{ and } (type \text{ with } match\$3)$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:39
S52	8	$(quer\$3 \text{ with } (error adj detect\$4)) \text{ same } (halt\$3 terminat\$4 abort\$3)$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:07
S53	15	$((plan) \text{ with } (error with detect\$4)) \text{ same } (halt\$3 terminat\$4 abort\$3 stop\$4 end\$3 exit\$3) \text{ and } (QEP \text{ or } ((access query execution) \text{ with } (plan)))$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:13
S54	10	$((plan) \text{ with } (error with detect\$4) \text{ with } (process\$3 execut\$4 run\$time (run adj time))) \text{ same } (halt\$3 terminat\$4 abort\$3 stop\$4 end\$3 exit\$3) \text{ and } (QEP \text{ or } ((access query execution) \text{ with } (plan)))$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:12
S55	2	$((plan) \text{ with } (error with detect\$4) \text{ with } (process\$3 execut\$4 run\$time (run adj time))) \text{ same } (halt\$3 terminat\$4 abort\$3 stop\$4 end\$3 exit\$3) \text{ and } (QEP \text{ or } ((access query execution) \text{ with } (plan))) \text{ and query}$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:15
S56	3	$((plan) \text{ with } (error with detect\$4)) \text{ same } (halt\$3 terminat\$4 abort\$3 stop\$4 end\$3 exit\$3) \text{ and } (QEP \text{ or } ((access query execution) \text{ with } (plan))) \text{ and query}$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:13

EAST Search History

S57	11	((plan) with (error with detect\$4) with (process\$3 execut\$4 run\$time (run adj time))) and (halt\$3 terminat\$4 abort\$3 stop\$4 end\$3 exit\$3) and (QEP or ((access query execution) with (plan))) and query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:16
S58	2	(((plan) with (error with detect\$4) with (process\$3 execut\$4 run\$time (run adj time))) same (halt\$3 terminat\$4 abort\$3 stop\$4 end\$3 exit\$3)) and (QEP or ((access query execution) with (plan))) and query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:36
S59	65	(detect\$4 with (execut\$4 run\$time) with error) and (QEP or ((access execution query) with plan))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:19
S60	19	(detect\$4 with (execut\$4 run\$time) with error) and (QEP or ((access execution query) with plan)) and (error with (halt\$3 terminat\$4 stop\$4 abort\$4 exit\$3 quit\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:21
S61	11	(detect\$4 with (execut\$4 run\$time) with error) and (QEP or ((access execution query) with plan)) and (error with (halt\$3 terminat\$4 stop\$4 abort\$4 exit\$3 quit\$3)) and query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 11:21
S62	10	((plan with (error with detect\$4) with (process\$3 execut\$4 run\$time (run adj time))) same (halt\$3 terminat\$4 abort\$3 stop\$4 end\$3 exit\$3 quit\$3)) and (QEP or ((access query execution) with (plan)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:48
S63	213	(QEP or ((query execution access) with plan)) and (re\$plan\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:49

EAST Search History

S64	54	(QEP or ((query execution access) with plan)) and (re\$plan\$4) and (error with (detect\$4 handl\$4 report\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:49
S65	70	(QEP or ((query execution access) with plan)) and (re\$plan\$4) and (((error conflict violation) with (detect\$4 handl\$4 report\$3)) same (run\$time execut\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:50
S66	27	(QEP or ((query execution access) with plan)) and (re\$plan\$4) and (((error conflict violation) with (detect\$4 handl\$4 report\$3)) same (run\$time execut\$4)) and query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:52
S67	5	(QEP or ((query execution access) with plan)) and (re\$plan\$4) and (((error conflict violation) with (detect\$4 handl\$4 report\$3)) same (run\$time execut\$4)) and query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 12:56
S68	10	(QEP or ((query execution access) with plan)) and ((re\$plan\$4) ((re\$generat re\$creat\$4 re\$construct\$4 re\$build\$3) with plan)) and (((error conflict violation) with (detect\$4 handl\$4 report\$3)) same (run\$time execut\$4)) and query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:18
S69	21	(QEP or ((query execution access) with plan)) and ((re\$plan\$4) ((re\$generat re\$creat\$4 re\$construct\$4 re\$build\$3 re\$writ\$3 re\$optimiz\$5) with plan)) and (((error conflict violation) with (detect\$4 handl\$4 report\$3)) same (run\$time execut\$4)) and query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:20
S70	29	(QEP or ((query execution access) with plan)) and ((re\$plan\$4) ((re\$generat re\$creat\$4 re\$construct\$4 re\$build\$3 re\$writ\$3 re\$optimiz\$5) with plan)) and (((error conflict violation failure) with (detect\$4 handl\$4 report\$3)) same (run\$time execut\$4)) and query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:25

EAST Search History

S71	28	(QEP or ((query execution access) with plan)) and ((re\$plan\$4) ((re\$generat re\$creat\$4 re\$construct\$4 re\$build\$3 re\$writ\$3 re\$optimiz\$5) with plan)) and (((error conflict violation fail\$3) with (detect\$4 handl\$4 report\$3)) same (run\$time execut\$4)) and query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:20
S72	19	(QEP or ((query execution access) with plan)) and ((re\$plan\$4) ((re\$generat re\$creat\$4 re\$construct\$4 re\$build\$3 re\$writ\$3 re\$optimiz\$5) with plan)) and (((error conflict violation failure) with (detect\$4 handl\$4 report\$3)) same (run\$time execut\$4)) and query and (xml or "xquery" "x-query" "xpath" "x-path" sql)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:56
S73	81	intelligent with plan with execut\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 13:58
S74	21	((intelligent self\$heal\$3 self\$correct\$3 self\$adjust\$3) with plan with (execut\$4 run\$time)) and ((error fail\$4) with (handl\$3 detect\$3 report\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:02
S75	8	((intelligent self\$heal\$3 self\$correct\$3 self\$adjust\$3) with plan with (execut\$4 run\$time)) and ((error fail\$4) with (handl\$3 detect\$3 report\$3)) and (xml "xpath" "x-path" "xquery" "x-query" sql)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:04
S76	14	((intelligent self\$heal\$3 self\$correct\$3 self\$adjust\$3) with plan with (execut\$4 run\$time)) and ((error fail\$4) with (handl\$3 detect\$3 report\$3)) and (xml "xpath" "x-path" "xquery" "x-query" sql query)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:05

EAST Search History

S77	6	S76 NOT S75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 14:05
S78	2	"20050154740"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 15:05
S79	1	"20050154740" and (signal with medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 15:05